

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04L 25/02	A2	 (11) International Publication Number: WO 99/07121 (43) International Publication Date: 11 February 1999 (11.02.99)
(21) International Application Number: PCT/US (22) International Filing Date: 28 July 1998 ((30) Priority Data: 60/054,121 29 July 1997 (29.07.97) (71) Applicant: NETADVANTAGE CORPORATION Suite B, 1674 North Shoreline Boulevard, Mounta CA 94043–1316 (US). (72) Inventor: FETIK, Richard, J.; #4 Comstock Quee Mountain View, CA 94043 (US). (74) Agents: HOFFMAN, Brian, M. et al.; Fenwick & W.	28.07.9 [US/US ain Vie en Cou	BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE GH, GM, HR, HU, ID, IL, IS, IP, KE, KG, KP, KR, KZ LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, T. TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO pater (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian pater (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European pater (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, I') LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, C CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Tt, Published Without international search report and to be republished upon receipt of that report.
Two Palo Alto Square, Palo Alto, CA 94306 (US)).	

(54) Title: METHOD AND SYSTEM FOR CONDUCTING ELECTRONIC COMMERCE TRANSACTIONS

(57) Abstract

A system and method for conducting electronic payment transactions accepts and stores information describing an item sold by a merchant on a commerce server. The merchant also defines payment processing rules that define the payment methods accepted by the merchant. The merchant, in turn, is provided with a reference identifying the commerce server and the item. The merchant preferably publishes this reference at the merchant's web site on a web page offering the item for sale. A customer viewing the merchant's web site indicates a desire to purchase the item by selecting the reference. As a result, the customer is put in contact with the commerce server and is provided with information from the commerce server about the item and is given a list of payment options. The customer preferably selects a payment option and provides the commerce server with payment information, such as a credit card number. In response, the commerce server contacts a selected payment system and completes the electronic commerce transaction. The commerce server then notifies the customer and the merchant of the results of the electronic commerce transaction and delivers the item to the customer.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	Codes used to identify	зыко ра	ny to the real on the n	om pages o	, benchmen beautiful		••
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Amenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Мовасо	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	. GH	Ghana	MG	Madagascar	ŤJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT ·	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	บร	United States of America
CA	Canada	iT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE	Niger	VN	Viet Nam
	•	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CG	Congo Switzerland	KĢ	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CH		KP	Democratic People's	NZ	New Zealand		
CI	Côte d'Ivoire	• • • • • • • • • • • • • • • • • • • •	Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazaksian	RO	Romania	•	
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	Li	Liechtenstein	SD	Sudan .		
DE	Germany		Sri Lanka	SE	Sweden		
DK	Denmark	LK LR		SG			•
EE	Estonia	LK	Liberia	. 36	Singapore	•	

METHOD AND SYSTEM FOR CONDUCTING ELECTRONIC COMMERCE TRANSACTIONS

CROSS-REFERENCE TO RELATED APPLICATION

This application is a continuation-in-part of U.S. Provisional Application No. 60/054,121, filed July 29, 1997.

BACKGROUND

FIELD OF THE INVENTION

10

15

20

25

30

35

This invention pertains in general to electronic commerce and in particular to a method and system for conducting electronic payment transactions via the Internet.

BACKGROUND OF THE INVENTION

Electronic commerce conducted over the Internet has become increasingly important over the last decade. Online merchants offer goods and services for sale or rent including physical objects such as compact disks, books, and clothing, and intellectual property such as streaming music and movies and electronic books. Physical items may be delivered to the customer via the mail or a variety of other shipping options. Intellectual property, in contrast, may be delivered to the customer by allowing a download via the file transfer protocol ("FTP"), providing the customer with an access key, establishing a telnet session, or through some other form of electronic delivery.

Typically, these goods and services are displayed on the merchant's web site and a prospective customer views, selects, and purchases the goods using web browsing software such as NETSCAPE NAVIGATOR. The customer usually pays for a product by establishing a secure connection with the merchant's web server and transmitting payment information, such as a credit card number, to the merchant. The merchant then uses back-end processing to verify the payment information and receive payment. For example, the merchant may use a secure telephone line or network link to contact the credit card issuer before accepting the customer's order. Eventually, the merchant and credit card issuer settle payment and the merchant delivers the product or service to the customer.

A difficulty with the above-described scenario is that each merchant must implement an inventory and payment database and a payment acceptance and verification system. For example, the merchant must establish and maintain a database tracking sales, delivery, and payment information and product inventories in order to support the electronic commerce system. There is significant cost and complexity in maintaining this database, including the difficulty of integrating it with legacy accounting and fulfillment systems and aggravated by

PCT/US98/15884 WO 99/07121

the scarcity of truly skilled personnel. In addition, the merchant must design web pages to securely accept the order and payment information and implement the functionality to verify the payment. These tasks can be extremely difficult if the merchant accepts payment using many different methods, such as credit cards and electronic fund transfers, or accepts payment in more than one currency. Moreover, having a large number of separate payment acceptance systems on the Internet provides a greater opportunity for fraud and abuse because the flaws of each system can be exploited.

Although Internet-based electronic commerce clearinghouses have been developed to handle transactions from many different parties, these clearinghouses do not provide a convenient interface to the merchant. In addition, the merchant must still establish the payment, verification, and database systems described above.

10

15

25

30

Accordingly, there is a need in the art for a method and system for conducting electronic commerce on the Internet which reduces the amount of work that must be performed by the online merchant. Preferably, the method and system will allow the merchant to easily and verifiably perform inventory, sales, and delivery tracking and transparently support different types of payments and currencies.

SUMMARY OF THE INVENTION

The above needs are met by a method and system for conducting electronic commerce 20 transactions that allows a merchant to easily sell a mix of physical and intangible items and supports sales, inventory, and delivery tracking and a variety of payment systems by having the merchant establish an account on a commerce server. The commerce server provides the merchant with inventory, accounting, and order management systems. Furthermore, the commerce server allows merchants to conduct electronic commerce with other merchants and vendors.

The commerce server includes a web server providing web pages to the merchant. By using these web pages, the merchant establishes an account on the commerce server. Then, the merchant provides the commerce server with information about an item sold by the merchant, such as a plane ticket, clothing, a book, a software product, or playing time with an online game. The merchant also provides the commerce server with other attributes of the item from which the customer may select, for example, the quantity or duration of an item. In addition, the merchant supplies payment processing rules defining the payment options that are acceptable to the merchant, such as which currencies and payment systems are allowed and when or how often to bill the customer.

The commerce server preferably stores the information received from the merchant in an entry of a database. In one embodiment, the database entry categorizes the item as a hard good, soft good, or online good depending upon the delivery options available for the item. The commerce server, in addition, provides the merchant with a "payment button" including a universal resource locator ("URL") that points to the commerce server and includes information allowing the commerce server to identify the database entry with which the payment button is associated. The merchant preferably publishes the payment button on the merchant's web site.

The customer selects the payment button when the customer wishes to purchase the associated product. In response, the customer's computer is automatically directed to the web server managed by the commerce server and provided with the item information entered by the merchant. In addition, the customer is presented with the payment options allowed by the merchant's payment processing rules. Preferably, the customer then provides the web server with the payment information necessary to complete the transaction.

10

15

20

25

30

When the merchant's payment terms specify that payment is required, the commerce server preferably identifies the remote payment system selected by the customer and contacts it to complete the electronic commerce transaction. Preferably, a module within the commerce server converts calls generated by the commerce server into the format used by the selected payment system. Likewise, the module converts responses received from the payment system into the format used by the commerce server. Then, the commerce server notifies the customer and the merchant of the result of the electronic commerce transaction and, if appropriate, delivers the item using one of the delivery options specified in the database.

A method of conducting electronic commerce between a remote customer and a remote merchant in accordance with the present invention includes receiving information identifying an item to be purchased by the customer, receiving payment information specifying a payment method to be used by the customer to purchase the item, conducting a payment transaction with a remote payment system specified by the payment information, and providing the customer and the merchant with the result of the payment transaction.

Similarly, computer program instructions for conducting electronic commerce transactions in accordance with the present invention include instructions for storing item information received from the merchant, instructions for issuing the merchant a reference to the stored item information, instructions for receiving an electronic commerce transaction identifier from the customer containing the reference to the stored item information issued to

the merchant, instructions for accepting payment information from the customer, and instructions for conducting the electronic commerce transaction with a remote payment system.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 is a high-level block diagram of an electronic commerce system according to an embodiment of the present invention;

FIGURE 2 is a high-level block diagram illustrating functional components of a commerce server according to an embodiment of the present invention;

10

15

20

25

30

FIGURE 3 is a high-level block diagram of an entry in a database associated with the commerce server according to an embodiment of the present invention;

FIGURE 4 is a flow diagram illustrating the interactions between the customer, merchant, commerce server, and payment system when completing a payment transaction according to an embodiment of the present invention; and

FIGURE 5 illustrates an exemplary screen display of a web page seeking payment information from a customer; and

FIGURE 6 illustrates an exemplary screen display of an order confirmation web page.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

As used herein, the "Internet" refers to the global network of interconnected computer systems and the "World Wide Web" ("WWW") refers to the global hypertext system using the Internet as its transport mechanism. A "universal resource locator" ("URL") is a reference to a piece of information or a software function on a computer connected to the Internet. A "web server" is a program that accepts requests for information framed according to the HyperText Transport Protocol ("HTTP"). "Web pages" are the information supplied by the web server in response to the requests. The Common Gateway Interface ("CGI") is the standard that describes how the web server accesses external programs, usually called "CGI programs" or "CGI scripts," called by a web page. Of course, the present invention is not limited to the Internet and may be used with any digital network supporting electronic commerce. In a non-Internet-based system, the terms defined above also include the non-Internet-based equivalents for communicating between the various entities described herein.

FIG. 1 is a high-level block diagram of an electronic commerce system 100 according to an embodiment of the present invention. Illustrated are a customer computer (sometimes referred to as "the customer") 110, a merchant web server (sometimes referred to as "the merchant") 112, and a commerce server ("CS") 114, all coupled to the Internet 116. In a

typical embodiment, the customer computer 110 is a personal computer having, among other things, a processor, memory, storage device, and monitor. The customer computer 110 is coupled to the Internet 116 via a network connection 118. The network connection may be, for example, a modem coupled to an analog telephone line, a digital subscriber line, a cable modem utilizing bandwidth on a cable television coaxial cable, a high speed digital line, or any other communications medium. Web browsing software, such as NETSCAPE NAVIGATOR®, preferably executes on the client computer and sends data from the client computer 110 to the merchant web server 112 via the network connection 118 and Internet 116. In another embodiment, the customer computer 110 is a palm-top device or personal digital system communicating via radio waves with the Internet 116 or another electronic commerce system.

10

15

20

25

30

The merchant web server 112 is preferably similar to the customer computer 110 except that it is has the processing power and communications 116 bandwidth to handle multiple simultaneous customer transactions. The merchant 112 sells items, such as merchandise, information, intellectual property, and/or services via a web site hosted on the merchant web server 112. The merchant's 112 web site may, for example, display a catalog of software available for purchase, allow the customer 110 to view flight schedules and purchase a plane ticket, or allow the customer 110 to play an online game, download a book or music, or access a database of information.

As used herein, the terms "customer" and "merchant" depend upon the specific transaction being conducted. In a chain of commerce transactions, the "customer" in a first transaction may be a "merchant" in a second transaction. For example, the customer 110 may buy components of a product from several different vendors or merchants 112 using the electronic commerce system described herein and then, in turn, sell the combined product via the customer's own web site and the CS 114.

The merchant's web site displays at least one "payment button." A payment button is a graphic button, a region of a larger graphic, a text string, or another form of URL link which the customer 110 may "press" by selecting it with a mouse, physical button, or other input device. In another embodiment, the payment button may be utilized on a non-Internet-based electronic commerce system. In such an embodiment, the payment button is considered to be "pressed" whenever a customer 110 expresses a desire to purchase an item. As described below, the payment button is pressed by the customer 110 when the customer 110 wishes to purchase and pay for an item displayed for sale on the merchant's web site. In a preferred embodiment, every type of item for sale on the merchant's web site has a separate payment

button. When a customer 110 wishes to purchase the product, the 110 customer presses the product's associated payment button. Then, the customer 110 is preferably presented with a menu allowing the customer 110 to specify attributes, such as quantity or duration, of the items that the customer 110 wishes to purchase.

In another embodiment, the merchant web site has only one payment button or has only one payment button for each class of items for sale. In this embodiment, the customer 110 is preferably presented with a menu of choices after pressing the payment button. For example, the menu of choices may ask the customer 110 to identify a specific product or an attribute of a product, like color, that the customer 110 wishes to purchase.

5

10

15

20

30

Every payment button has an associated URL that points to information in the CS 114. Preferably, a database key that uniquely identifies the merchant 112 and/or item for sale is encoded within the URL. When the customer 110 presses the payment button, the customer 110 is redirected to a web page provided by the CS 114 and specific to the merchant 112 and/or item.

In one embodiment, the CS 114 queries the customer for the quantity or duration of the item that the customer 110 wishes to purchase and payment information. The CS 114 receives the customer's responses and conducts the electronic commerce transaction according to payment processing rules and delivery options specified by the merchant 112. The CS 114 records the transaction in its database and notifies the customer and merchant whether the transaction was successful. Accordingly, the merchant 112 is relieved of the responsibility of conducting the electronic commerce transaction with the customer 110.

FIG. 2 is a high-level block diagram illustrating functional components of the CS 114 and also illustrating a remote payment system 222 and a remote merchant 223 according to a preferred embodiment of the present invention. The CS 114 is preferably similar to the customer 110 and merchant 112 computers, except that the CS 114 has enough processing power and Internet 116 bandwidth to support many simultaneous payment button transactions as described herein. The functionality of the CS 114 described herein may be performed by hardware or software modules within the CS 114. In one embodiment of the present invention, the functionality of the CS 114 is provided by software applications executing on INTEL x86-or SUN MICROSYSTEMS SPARC-compatible hardware under control of MICROSOFT WINDOWS NT or a derivative of the UNIX operating system, such as SOLARIS 2.5.1. In another embodiment of the present invention, the functionality of the CS 114 is provided by a distributed computing system as described below.

The remote payment system 222 is preferably a third-party payment gateway or system. The gateway or system is preferably connected to a financial transaction network, which, in turn, typically links to computers at banks and other financial institutions for approval and settlement of electronic commerce transactions. Typical gateways or systems may include CYBERCASH, e-CASH, MONDEX, or SET. While only one payment system 222 is illustrated in FIG. 2, the CS 114 may be in communication with many different remote payment systems 222, either through a secure link on the Internet 116 or a dedicated secure link. Each payment system has an applications programming interface ("API"). By using the API, the CS 114 communicates with the payment system 222 and performs secure and verifiable payment transactions.

5

10

15

20

25

30

The remote merchant 223 is preferably a merchant selling items via a web site as described above. The remote merchant 223 may have an account on the CS 114 or the merchant 223 may have an interface for selling items similar to the remote payment system 222. In general, the remote merchant 223 is included in FIG. 2 to illustrate that the customer's 110 electronic commerce transaction performed by the CS 114 may contact a remote payment system 222 and/or a remote merchant 223.

The CS 114 includes a payment button transaction engine 210 which is coupled to a database 212 and a web server 214. A firewall 216 preferably sits between the web server 216 and the transaction engine 210. While these functional components are illustrated in FIG. 2 as discrete entities, the CS 114 may be executed on a distributed computer system having a plurality of engines, databases, and web servers working together the perform the functions described herein. For example, one embodiment of the CS 114 uses multiple transaction engines 210 and web servers 214 and a single distributed database 212, thereby providing scalability to the CS 114. The number of web servers 214 and transaction engines 210 depends on the actual system load and the desire to achieve better performance through balancing the transaction load across the system.

The payment button transaction engine 210 includes a rules module 218 that controls the interactions and flows of information necessary to complete a payment transaction. In addition, the transaction engine 210 preferably includes a Payment Application Programming Interface ("PAPI") module 220 enabling communication between the CS 114 and the remote payment systems 222 and merchants 223. The PAPI module 220 abstracts the different APIs of each payment system 222 and merchant 223 into a single, higher level, PAPI that can interface with each of the payment systems 222 and merchants 223. The transaction engine 210 performs payment transactions with a payment system 222 or merchant 223 by making

calls to the PAPI. The PAPI abstraction module 220 translates these calls into the specific API of the payment system 222 or merchant 223 being used for that transaction. The PAPI abstraction module 220 also translates data received from the payment system 222 or merchant 223 into the format utilized by the transaction engine 210. Accordingly, the PAPI abstraction module 220 allows support for new payment systems 222 and merchants 223 to be added to the CS 114 by merely creating a new PAPI to payment system or merchant API mapping in the PAPI abstraction module 220.

The payment button store module ("PB store") 224, in combination with the web server 214, allows a merchant 112 to obtain a payment button. The web server 214 is preferably an industry standard web server such as the NETSCAPE ENTERPRISE SERVER or the APACHE web server. The web server 214 provides secure communication with the customer 110 and preferably uses industry standard technologies including HyperText Markup Language ("HTML"), and HTTP to deliver information to the customer 110. In addition, the web server preferably uses industry standard encryption techniques, including secure HTTP ("S-HTTP") and the secure sockets layer ("SSL"), to ensure that communications with the customer 110 are private. The firewall 216 allows only authorized communications between the web server 214 and the transaction engine 210 and ensures that a malicious user cannot access or corrupt the transaction engine 210.

10

15

20

25

30

The PB store 224 allows the merchant to purchase payment buttons and add product descriptions, merchant configurations, and other information to the database 212. In a preferred embodiment of the present invention, the merchant 112 accesses the PB store through a web site on the web server 214. The PB store module 224 captures the merchant 112 actions on the web server 214 and creates the appropriate entries in the database 212.

In one embodiment of the present invention, the PB store web site describes the payment button mechanism, the services offered by the payment button vendor, and the costs of the services. In addition, the web site preferably has a merchant registration form 226 for registering new merchants, a merchant renewal form 228 for renewing merchant registrations, and a payment button generation form 230 for issuing payment buttons to registered merchants. The forms preferably include CGI programs for performing the functionality described herein.

The merchant registration form 226 allows the merchant 112 to input information identifying the merchant 112 and includes a payment button with which the merchant 112 can pay a registration fee. After the fee payment is verified, the merchant 112 is preferably issued a login/password pair and an account with the CS 114 through which the merchant 112 can

access the payment button generation form and maintain the merchant's account. Similarly, the merchant renewal form 228 preferably includes a payment button with which the merchant 112 can pay a renewal fee.

5

10

15

20

25

30

The payment button generation form 230 allows the merchant 112 to enter item description data, such as item names and descriptions, prices, types, and delivery options, and payment processing rules, such as supported credit cards, payment systems, and currencies. In addition, the payment processing rules may rank the payment systems in order of preference, describe when payment is required (e.g., the merchant may require billing after 90 days), and/or describe the quantity or duration of an item available for a certain price. In one embodiment of the present invention, the merchant 112 enters the item description data and payment processing rules by uploading a file to web site having the information in a standardized format.

When entry of this data is completed, the payment button generation form 230 sends the data to the transaction engine 210, which stores the information in the database 212 at a location specified by a key. The transaction engine 210 passes the key back to the PB store web site, which provides the merchant with a payment button download page displaying the results of the payment button generation transaction. If the transaction was successful, the payment button download page includes the payment button issued to the merchant 112. The payment button has an associated URL that specifies the key. Accordingly, little or no engineering effort is required to maintain each merchant configuration on the CS 114.

In one embodiment of the present invention, there are multiple PB store web sites communicating with the database 212 through the transaction engine 210. When a payment button is created, the transaction engine 210 creates a field in the database 212 entry specifying the PB store that generated the payment button. Accordingly, payment buttons may be "branded" among different payment button vendors.

The database 212 is preferably a robust relational database. A preferred embodiment of the present invention uses the ORACLE 7 database to implement the functionality described herein. The database 212 stores item descriptions, payment processing rules, and other information necessary to complete a payment transaction on behalf of a merchant 112. This merchant information is preferably accessed in the database by using a key assigned to each merchant 112 and/or item for sale. The database 212 is also used as a repository of transaction information including authorization logs, payment status and completion records, and other information required by the merchant 112 and the CS 114.

FIG. 3 is a high-level block diagram of functional components within the database 212. Illustrated therein are a database entry 300 including a primary entry 310 linked to at least one of three types of item entries 312, 314, 316. The primary entry 310 is the entry identified by the key provided to the merchant 112. Accordingly, the primary entry 310 is typically accessed either when the merchant 112 provides the key while using the PB store web site or when the customer 110 uses the URL provided by a payment button to purchase the item identified in the database entry 310.

5

10

15

20

25

30

The primary entry 310 contains a field 318 storing the payment processing rules for the item as specified by the merchant 112 through the PB store. The primary entry 310 also contains a field 320 holding item type information as specified by the merchant 112. The item type information preferably describes the item attributes input by the merchant 112. In addition, the item type information field 320 preferably contains at least one link to another database entry 312, 314, 316 describing delivery options for the item.

The available delivery options for an item depend upon the type of item. FIG. 3 illustrates three database entries 312, 314, 316 describing delivery options for hard, soft, and online items. However, an embodiment of the present invention may have many different types of items and corresponding delivery options. A hard item is typically a manufactured physical product such as clothing, a book, or a machine part. Accordingly, the entry 312 holding delivery options 322 may list various shipping methods and companies available for delivering the hard item to the customer 110.

A soft item, in contrast, is typically intangible intellectual property such as music, electronic books, or software. For example, the soft item may be a streaming music file that can be played by the customer 110. Accordingly, the entry 314 holding delivery options 324 may list a URL or electronic key that can be provided to the customer to effectuate the purchase. For example, the options 324 may provide instructions for initiating an FTP session to download the purchased soft item to the customer's 110 computer system.

An online item is typically access to an online service or other software executing remotely from the customer 110. For example, the online item may be access to an electronic database of information or an online game. Accordingly, the entry 316 holding delivery options 326 preferably includes instructions for allowing the customer 110 to access the online item. For example, the options 326 may provide instructions for initiating a telnet session with an electronic database for a limited duration of time.

FIG. 4 is a flow diagram illustrating the interactions between the customer 110, merchant 112, CS 114, database 212 and a payment system 222 when completing a payment

transaction according to a preferred embodiment of the present invention. In the flow diagram, time flows from the top of the diagram to the bottom and horizontal lines represent communications between the various entities. FIG. 4 illustrates only major interactions between the entities and does not represent every interaction. In addition, FIG. 4 illustrates a simple case of the present invention wherein the merchant's 112 payment processing rules specify that the payment transaction should be processed at the time the customer's 110 order is received.

Initially, the customer 110 is browsing the merchant's web site and decides to purchase an item by pressing 410 the associated payment button. In response to the press, the merchant's web server 112 redirects 412 the customer's browser to the location on the CS 114 specified by the URL associated with the payment button. The customer's browser fetches 414 the referenced page from the CS 114.

10

15

20

30

The CS 114 parses the URL received from the customer 110 for the database 212 key corresponding to the item that the customer 110 wishes to purchase. Using this key, the CS 114 accesses 416 the database 212 and dynamically generates a web page indicating the attributes and payment options available for the item as defined by the merchant 112. In addition, the CS 114 preferably determines the language utilized by the customer 110 and currencies supported by the merchant 112 and modifies the web page accordingly. This generated web page is sent 418 to the customer 110. FIG. 5 illustrates an exemplary screen display 500 of the web page seeking payment information from the customer 110.

The customer selects the desired item attributes and payment service, enters any necessary payment information, such as a credit card or account number, and transmits 420 these data to the CS 114. The CS 114 stores 422 the received data in the database 212 and contacts the selected payment system 222. As described above, the CS 114 preferably uses the PAPI module 220 to translate transaction calls made by the transaction engine 210 into the API of the selected payment system 222. The CS 114 preferably stores 426 records of all communications with the payment system 222, customer 110, and merchant 112 in the database 212. Therefore, the database 212 can be used to reconstruct transaction histories in order to provide error tracking and accounting services. If the payment system 222 rejects the transaction, the CS 114 publishes a web page to the customer indicating this result and presenting alternative payment methods, if any (this interaction is not shown in FIG. 4).

If the payment system 222 approves the transaction, the CS dynamically generates a web page containing payment status information and publishes 428 this information to the customer 110. This page preferably contains a receipt or confirmation number generated by

the CS 114. In a preferred embodiment of the present invention, the confirmation number is a unique number encoding transaction, session, and merchant identifications and a time and date stamp. This confirmation number is preferably a key to a database entry holding the transaction information and can be used later by the merchant 112 and customer 110 to confirm payment, to query the CS 114 for payment status information, and to use the CS 114 to query the payment system for account status information. The web page also preferably contains any other information required by the merchant 112 and a link to a confirmation page on the merchant's web site 112. FIG. 6 illustrates an exemplary screen display 600 of an order confirmation web page.

The CS 114 also notifies 428 the merchant 112 that payment was accepted and provides the same receipt or confirmation number as was provided to the customer 110. In one embodiment, this notification is performed via a secure electronic mail message. Accordingly, both the customer 110 and merchant 112 are notified that the purchase was made.

10

15

20

25

Finally, the customer 110 fetches 430 the confirmation web page on the merchant's web site. Preferably, this web page provides the customer 110 with additional information about the purchase or any other information which the merchant 112 desires to provide.

In summary, the present invention is a system, method, and computer program instructions for conducting electronic commerce transactions via the Internet or any electronic communication system. The merchant 112 opens an account on the CS 114 and supplies information about items sold by the merchant 112. The CS 114 stores this information in a database 212 entry and issues the merchant 112 a URL containing the key to database entry. The merchant 112 supplies this URL to customers wishing to purchase an item, causing a customer 110 to be connected to the CS 114. The CS 114 collects payment information from the customer 110, conducts the electronic commerce transaction with a remote payment system 222, and notifies the customer 110 and merchant 112 of the result.

CLAIMS

_				
I	ci	ลเ	m	•

5

10

15

1. A computer system for supporting electronic commerce transactions between a customer and a remote merchant, the computer system comprising:

a database having an entry including merchant information identifying an item offered for sale by the remote merchant; and

a transaction engine in communication with the database and a remote payment system for performing an electronic commerce transaction, the transaction engine comprising:

a first module for receiving an electronic commerce transaction identifier from the customer, the electronic commerce transaction identifier specifying the entry in the database;

a second module for accepting payment information from the customer, the payment information identifying the remote payment system; and a third module for performing the electronic commerce transaction with the remote payment system using the payment information received from the customer.

- 2. The computer system of claim 1, wherein the transaction engine further comprises:
- a fourth module for notifying the remote merchant and the customer of a result of the electronic commerce transaction.
 - 3. The computer system of claim 1, further comprising:
 a web server in communication with the transaction engine for communicating with the remote merchant and customer; and
 a firewall between the web server and the transaction engine for securing communications between the web server and the transaction engine.
 - 4. The computer system of claim 3, wherein the transaction engine further comprises:
 - a fifth module for dynamically generating a web page from the entry in the database and providing the web page to the customer via the web server, the web page providing information about the item offered for sale by the remote

25

merchant and facilitating collection of the payment information from the customer.

5. The computer system of claim 3, wherein the computer system further comprises:

5

15

25

- a sixth module for accepting the merchant information identifying the item offered for sale by the remote merchant via the web server, creating the database entry for holding the merchant information, and providing the remote merchant with a reference to the database entry.
- 6. The computer system of claim 1, wherein the electronic commerce transaction identifier is a URL identifying the computer system and including a key to the entry in the database.
 - 7. The computer system of claim 1, wherein the database further comprises:
 an entry specifying payment processing rules defined by the remote merchant; and
 an entry specifying delivery options for the item offered for sale by the remote
 merchant.
 - 8. The computer system of claim 1, wherein there are a plurality of available remote payment systems and wherein the second module for accepting payment information from the customer accepts payment information identifying one of the available remote payment systems.
- 20 9. The computer system of claim 1, wherein the transaction engine is executed by a plurality of distributed computer systems.
 - 10. A method of conducting electronic commerce between a remote customer and a remote merchant, the method comprising the steps of:
 - receiving information identifying an item to be purchased by the remote customer; receiving payment information specifying a payment method to be used by the remote customer to purchase the item;
 - conducting a payment transaction with a remote payment system specified by the payment information; and

5

15

25

providing the remote customer and the remote merchant with a result of the payment transaction.

- 11. The method of claim 10, further comprising the steps of:
 receiving information about the item to be purchased from the remote merchant;
 storing the information about the item to be purchased at a specified location; and
 providing the remote merchant with a reference to the specified location.
- 12. The method of claim 11, wherein the remote merchant provides the reference to the specified location to the remote customer responsive to the remote customer desiring to purchase the item.
- 10 13. The method of claim 10, further comprising the step of:

 providing the remote customer with a list of item attributes from which the customer can select.
 - 14. The method of claim 10, wherein the step of receiving information identifying the item to be purchased by the remote customer comprises the steps of:

 receiving payment processing rules specifying payment options available for purchasing the item; and receiving delivery options for the item.
- 15. A computer-readable medium having computer instructions encoded thereon for conducting electronic commerce transactions between a remote merchant and a remote
 20 customer, the computer instructions comprising:

instructions for storing item information received from the remote merchant; instructions for issuing the remote merchant a reference to the stored item information;

instructions for receiving an electronic commerce transaction identifier from the remote customer containing the reference to the stored item information issued to the remote merchant;

instructions for accepting payment information from the remote customer, the payment information identifying a remote payment system; and

PCT/US98/15884

WO 99/07121 ·

10


instructions for conducting the electronic commerce transaction with the remote payment system using the payment information received from the remote customer.


16. The computer-readable medium of claim 15, wherein the instructions further comprise:


instructions for notifying the remote merchant and the remote customer of a result of the electronic commerce transaction.


17. The computer-readable medium of claim 15, wherein the instructions for storing item information received from the remote merchant comprise:

instructions for receiving payment processing rules from the remote merchant specifying payment options for the electronic commerce transaction; and instructions for receiving delivery rules from the remote merchant specifying delivery options for the electronic commerce transaction.









netadvantage) Payment Details

Products Ordered						
SEU	Uty	(ten	Unit Price	Estended Price		
21/4120	2	Sprocket (Medium)	\$8.99	\$17.98		
			Subtotali	\$17.95		
			Shippings	\$3.95		
		4	Tax:	\$1.72		
			Totali	\$23.65		

	· Billing Address	· Shipping -Add
First Name:	Joe	
Last Nome:	Bloggs	
Company	Global Baking Company	•
Address 1:	2253 N Personners Re-1	· .
Address 2:	•	
City:	. San Jose	
State/Province:	CA	
Zip/Postal Code:	96025-5123	
Commert	USA	
Email.	mon.sziadladnig érgyaldsor	
Telephone:	1-650-237-2200	

P:	yment differmation	
Payment Type:	Mastercard	
Name at it Appears on	Card: *	
Card Number:	*	
Expiration Date	* [/ [(MM/YY)	
	• •	

FIG 5

500-

metadvantage)

Receipt

-- Inank You for Your Order --

Receipt Number: 158-8029-5

Global Sprokets Company Inc.
2243 E Wissens Way, Boston, MA. 24248, USA,
Tel: +1 NS' 558 0377; FAX: +1 850 558 0388

Email: inin@sprocess.com; Webs http://www.aproisco.com

Please print or vave this page, and losso a copy in a safe place. You may also experient this page and soveril it during the next 30 days you will'it requested to enter your last name (as issued believe) to ensure prevery.

Products Ordered							
Item Hef	Qty	(tem	Price East	Total Price			
215029	2	Sprocket (Medium)	\$8.99	\$17.98			
			Sabtetali	\$17.94			
			Shippings	\$3.95			
			Text	\$1.72			
			Total:	\$23.65			

	thilling Address	Shipping Address at the second second
First Name:	Joe	•
Last Name:	Bloggi	•
Союрэнч	Global Baking Company	
Address 1.	2253 N Peterstore Road	-
Address 2.	•	
City:	San Jose	
State/Province:	CA	-
Zip/Postal Code:	96025-5123	
Country	USA	•

Payment Information

Payment Type: Mastercard
Your card has been courged: \$23.65

Customer Information

We sam to ship oil items within 10 days. Thenk you far your order!

Return to Site

FIG 6

600)



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number: WO 99/07121
H04L 25/02	A2	(43) International Publication Date: 11 February 1999 (11.02.99)
(21) International Application Number: PCT/US		BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE,
(22) International Filing Date: 28 July 1998 ((30) Priority Data:	28.07.9	8) GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TI, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent
60/054,121 29 July 1997 (29.07.97)	•	JS (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT,
(71) Applicant: NETADVANTAGE CORPORATION Suite B, 1674 North Shoreline Boulevard, Mount CA 94043-1316 (US).		
(72) Inventor: FETIK, Richard, J.; #4 Comstock Quee Mountain View, CA 94043 (US).	en Cou	nt, Published Without international search report and to be republished upon receipt of that report.
(74) Agents: HOFFMAN, Brian, M. et al.; Fenwick & W Two Palo Alto Square, Palo Alto, CA 94306 (US		Р,

(54) Title: METHOD AND SYSTEM FOR CONDUCTING ELECTRONIC COMMERCE TRANSACTIONS

(57) Abstract

A system and method for conducting electronic payment transactions accepts and stores information describing an item sold by a merchant on a commerce server. The merchant also defines payment processing rules that define the payment methods accepted by the merchant. The merchant, in turn, is provided with a reference identifying the commerce server and the item. The merchant preferably publishes this reference at the merchant's web site on a web page offering the item for sale. A customer viewing the merchant's web site indicates a desire to purchase the item by selecting the reference. As a result, the customer is put in contact with the commerce server and is provided with information from the commerce server about the item and is given a list of payment options. The customer preferably selects a payment option and provides the commerce server with payment information, such as a credit card number. In response, the commerce server contacts a selected payment system and completes the electronic commerce transaction. The commerce server then notifies the customer and the merchant of the results of the electronic commerce transaction and delivers the item to the customer.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	•				•		
AL	Albania	ES	Spain	LS	Lesotho	Sī	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	, LU	Luxembourg	SN	Senegal
ΑÜ	Australia	ĠΑ	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	. MD	Republic of Moldova	TG	Togo
BB	Barbados ·	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML.	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	` IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	kały	MX	Mexico	uz	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugosłavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	2W	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	· Cameroon		Republic of Korea	PL	Poland ·		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		-
EE	Estonia	LR	Liberia	SG	Singapore		

METHOD AND SYSTEM FOR CONDUCTING ELECTRONIC COMMERCE TRANSACTIONS

CROSS-REFERENCE TO RELATED APPLICATION

This application is a continuation-in-part of U.S. Provisional Application No. 60/054,121, filed July 29, 1997.

BACKGROUND

FIELD OF THE INVENTION

10

15

20

25

30

35

This invention pertains in general to electronic commerce and in particular to a method and system for conducting electronic payment transactions via the Internet.

BACKGROUND OF THE INVENTION

Electronic commerce conducted over the Internet has become increasingly important over the last decade. Online merchants offer goods and services for sale or rent including physical objects such as compact disks, books, and clothing, and intellectual property such as streaming music and movies and electronic books. Physical items may be delivered to the customer via the mail or a variety of other shipping options. Intellectual property, in contrast, may be delivered to the customer by allowing a download via the file transfer protocol ("FTP"), providing the customer with an access key, establishing a telnet session, or through some other form of electronic delivery.

Typically, these goods and services are displayed on the merchant's web site and a prospective customer views, selects, and purchases the goods using web browsing software such as NETSCAPE NAVIGATOR. The customer usually pays for a product by establishing a secure connection with the merchant's web server and transmitting payment information, such as a credit card number, to the merchant. The merchant then uses back-end processing to verify the payment information and receive payment. For example, the merchant may use a secure telephone line or network link to contact the credit card issuer before accepting the customer's order. Eventually, the merchant and credit card issuer settle payment and the merchant delivers the product or service to the customer.

A difficulty with the above-described scenario is that each merchant must implement an inventory and payment database and a payment acceptance and verification system. For example, the merchant must establish and maintain a database tracking sales, delivery, and payment information and product inventories in order to support the electronic commerce system. There is significant cost and complexity in maintaining this database, including the difficulty of integrating it with legacy accounting and fulfillment systems and aggravated by

the scarcity of truly skilled personnel. In addition, the merchant must design web pages to securely accept the order and payment information and implement the functionality to verify the payment. These tasks can be extremely difficult if the merchant accepts payment using many different methods, such as credit cards and electronic fund transfers, or accepts payment in more than one currency. Moreover, having a large number of separate payment acceptance systems on the Internet provides a greater opportunity for fraud and abuse because the flaws of each system can be exploited.

5

10

15

20

25

30

Although Internet-based electronic commerce clearinghouses have been developed to handle transactions from many different parties, these clearinghouses do not provide a convenient interface to the merchant. In addition, the merchant must still establish the payment, verification, and database systems described above.

Accordingly, there is a need in the art for a method and system for conducting electronic commerce on the Internet which reduces the amount of work that must be performed by the online merchant. Preferably, the method and system will allow the merchant to easily and verifiably perform inventory, sales, and delivery tracking and transparently support different types of payments and currencies.

SUMMARY OF THE INVENTION

The above needs are met by a method and system for conducting electronic commerce transactions that allows a merchant to easily sell a mix of physical and intangible items and supports sales, inventory, and delivery tracking and a variety of payment systems by having the merchant establish an account on a commerce server. The commerce server provides the merchant with inventory, accounting, and order management systems. Furthermore, the commerce server allows merchants to conduct electronic commerce with other merchants and vendors.

The commerce server includes a web server providing web pages to the merchant. By using these web pages, the merchant establishes an account on the commerce server. Then, the merchant provides the commerce server with information about an item sold by the merchant, such as a plane ticket, clothing, a book, a software product, or playing time with an online game. The merchant also provides the commerce server with other attributes of the item from which the customer may select, for example, the quantity or duration of an item. In addition, the merchant supplies payment processing rules defining the payment options that are acceptable to the merchant, such as which currencies and payment systems are allowed and when or how often to bill the customer.

The commerce server preferably stores the information received from the merchant in an entry of a database. In one embodiment, the database entry categorizes the item as a hard good, soft good, or online good depending upon the delivery options available for the item. The commerce server, in addition, provides the merchant with a "payment button" including a universal resource locator ("URL") that points to the commerce server and includes information allowing the commerce server to identify the database entry with which the payment button is associated. The merchant preferably publishes the payment button on the merchant's web site.

The customer selects the payment button when the customer wishes to purchase the associated product. In response, the customer's computer is automatically directed to the web server managed by the commerce server and provided with the item information entered by the merchant. In addition, the customer is presented with the payment options allowed by the merchant's payment processing rules. Preferably, the customer then provides the web server with the payment information necessary to complete the transaction.

10

15

20

25

30

When the merchant's payment terms specify that payment is required, the commerce server preferably identifies the remote payment system selected by the customer and contacts it to complete the electronic commerce transaction. Preferably, a module within the commerce server converts calls generated by the commerce server into the format used by the selected payment system. Likewise, the module converts responses received from the payment system into the format used by the commerce server. Then, the commerce server notifies the customer and the merchant of the result of the electronic commerce transaction and, if appropriate, delivers the item using one of the delivery options specified in the database.

A method of conducting electronic commerce between a remote customer and a remote merchant in accordance with the present invention includes receiving information identifying an item to be purchased by the customer, receiving payment information specifying a payment method to be used by the customer to purchase the item, conducting a payment transaction with a remote payment system specified by the payment information, and providing the customer and the merchant with the result of the payment transaction.

Similarly, computer program instructions for conducting electronic commerce transactions in accordance with the present invention include instructions for storing item information received from the merchant, instructions for issuing the merchant a reference to the stored item information, instructions for receiving an electronic commerce transaction identifier from the customer containing the reference to the stored item information issued to

the merchant, instructions for accepting payment information from the customer, and instructions for conducting the electronic commerce transaction with a remote payment system.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 is a high-level block diagram of an electronic commerce system according to an embodiment of the present invention;

FIGURE 2 is a high-level block diagram illustrating functional components of a commerce server according to an embodiment of the present invention;

FIGURE 3 is a high-level block diagram of an entry in a database associated with the commerce server according to an embodiment of the present invention;

FIGURE 4 is a flow diagram illustrating the interactions between the customer, merchant, commerce server, and payment system when completing a payment transaction according to an embodiment of the present invention; and

FIGURE 5 illustrates an exemplary screen display of a web page seeking payment information from a customer; and

15

20

25

30

FIGURE 6 illustrates an exemplary screen display of an order confirmation web page.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

As used herein, the "Internet" refers to the global network of interconnected computer systems and the "World Wide Web" ("WWW") refers to the global hypertext system using the Internet as its transport mechanism. A "universal resource locator" ("URL") is a reference to a piece of information or a software function on a computer connected to the Internet. A "web server" is a program that accepts requests for information framed according to the HyperText Transport Protocol ("HTTP"). "Web pages" are the information supplied by the web server in response to the requests. The Common Gateway Interface ("CGI") is the standard that describes how the web server accesses external programs, usually called "CGI programs" or "CGI scripts," called by a web page. Of course, the present invention is not limited to the Internet and may be used with any digital network supporting electronic commerce. In a non-Internet-based system, the terms defined above also include the non-Internet-based equivalents for communicating between the various entities described herein.

FIG. 1 is a high-level block diagram of an electronic commerce system 100 according to an embodiment of the present invention. Illustrated are a customer computer (sometimes referred to as "the customer") 110, a merchant web server (sometimes referred to as "the merchant") 112, and a commerce server ("CS") 114, all coupled to the Internet 116. In a

typical embodiment, the customer computer 110 is a personal computer having, among other things, a processor, memory, storage device, and monitor. The customer computer 110 is coupled to the Internet 116 via a network connection 118. The network connection may be, for example, a modem coupled to an analog telephone line, a digital subscriber line, a cable modem utilizing bandwidth on a cable television coaxial cable, a high speed digital line, or any other communications medium. Web browsing software, such as NETSCAPE NAVIGATOR®, preferably executes on the client computer and sends data from the client computer 110 to the merchant web server 112 via the network connection 118 and Internet 116. In another embodiment, the customer computer 110 is a palm-top device or personal digital system communicating via radio waves with the Internet 116 or another electronic commerce system.

The merchant web server 112 is preferably similar to the customer computer 110 except that it is has the processing power and communications 116 bandwidth to handle multiple simultaneous customer transactions. The merchant 112 sells items, such as merchandise, information, intellectual property, and/or services via a web site hosted on the merchant web server 112. The merchant's 112 web site may, for example, display a catalog of software available for purchase, allow the customer 110 to view flight schedules and purchase a plane ticket, or allow the customer 110 to play an online game, download a book or music, or access a database of information.

20

25

30

10

15

As used herein, the terms "customer" and "merchant" depend upon the specific transaction being conducted. In a chain of commerce transactions, the "customer" in a first transaction may be a "merchant" in a second transaction. For example, the customer 110 may buy components of a product from several different vendors or merchants 112 using the electronic commerce system described herein and then, in turn, sell the combined product via the customer's own web site and the CS 114.

The merchant's web site displays at least one "payment button." A payment button is a graphic button, a region of a larger graphic, a text string, or another form of URL link which the customer 110 may "press" by selecting it with a mouse, physical button, or other input device. In another embodiment, the payment button may be utilized on a non-Internet-based electronic commerce system. In such an embodiment, the payment button is considered to be "pressed" whenever a customer 110 expresses a desire to purchase an item. As described below, the payment button is pressed by the customer 110 when the customer 110 wishes to purchase and pay for an item displayed for sale on the merchant's web site. In a preferred embodiment, every type of item for sale on the merchant's web site has a separate payment

button. When a customer 110 wishes to purchase the product, the 110 customer presses the product's associated payment button. Then, the customer 110 is preferably presented with a menu allowing the customer 110 to specify attributes, such as quantity or duration, of the items that the customer 110 wishes to purchase.

In another embodiment, the merchant web site has only one payment button or has only one payment button for each class of items for sale. In this embodiment, the customer 110 is preferably presented with a menu of choices after pressing the payment button. For example, the menu of choices may ask the customer 110 to identify a specific product or an attribute of a product, like color, that the customer 110 wishes to purchase.

5.

10

15

20

25

Every payment button has an associated URL that points to information in the CS 114. Preferably, a database key that uniquely identifies the merchant 112 and/or item for sale is encoded within the URL. When the customer 110 presses the payment button, the customer 110 is redirected to a web page provided by the CS 114 and specific to the merchant 112 and/or item.

In one embodiment, the CS 114 queries the customer for the quantity or duration of the item that the customer 110 wishes to purchase and payment information. The CS 114 receives the customer's responses and conducts the electronic commerce transaction according to payment processing rules and delivery options specified by the merchant 112. The CS 114 records the transaction in its database and notifies the customer and merchant whether the transaction was successful. Accordingly, the merchant 112 is relieved of the responsibility of conducting the electronic commerce transaction with the customer 110.

FIG. 2 is a high-level block diagram illustrating functional components of the CS 114 and also illustrating a remote payment system 222 and a remote merchant 223 according to a preferred embodiment of the present invention. The CS 114 is preferably similar to the customer 110 and merchant 112 computers, except that the CS 114 has enough processing power and Internet 116 bandwidth to support many simultaneous payment button transactions as described herein. The functionality of the CS 114 described herein may be performed by hardware or software modules within the CS 114. In one embodiment of the present invention, the functionality of the CS 114 is provided by software applications executing on INTEL x86-or SUN MICROSYSTEMS SPARC-compatible hardware under control of MICROSOFT WINDOWS NT or a derivative of the UNIX operating system, such as SOLARIS 2.5.1. In another embodiment of the present invention, the functionality of the CS 114 is provided by a distributed computing system as described below.

The remote payment system 222 is preferably a third-party payment gateway or system. The gateway or system is preferably connected to a financial transaction network, which, in turn, typically links to computers at banks and other financial institutions for approval and settlement of electronic commerce transactions. Typical gateways or systems may include CYBERCASH, e-CASH, MONDEX, or SET. While only one payment system 222 is illustrated in FIG. 2, the CS 114 may be in communication with many different remote payment systems 222, either through a secure link on the Internet 116 or a dedicated secure link. Each payment system has an applications programming interface ("API"). By using the API, the CS 114 communicates with the payment system 222 and performs secure and verifiable payment transactions.

The remote merchant 223 is preferably a merchant selling items via a web site as described above. The remote merchant 223 may have an account on the CS 114 or the merchant 223 may have an interface for selling items similar to the remote payment system 222. In general, the remote merchant 223 is included in FIG. 2 to illustrate that the customer's 110 electronic commerce transaction performed by the CS 114 may contact a remote payment system 222 and/or a remote merchant 223.

10

15

20

25

30

The CS 114 includes a payment button transaction engine 210 which is coupled to a database 212 and a web server 214. A firewall 216 preferably sits between the web server 216 and the transaction engine 210. While these functional components are illustrated in FIG. 2 as discrete entities, the CS 114 may be executed on a distributed computer system having a plurality of engines, databases, and web servers working together the perform the functions described herein. For example, one embodiment of the CS 114 uses multiple transaction engines 210 and web servers 214 and a single distributed database 212, thereby providing scalability to the CS 114. The number of web servers 214 and transaction engines 210 depends on the actual system load and the desire to achieve better performance through balancing the transaction load across the system.

The payment button transaction engine 210 includes a rules module 218 that controls the interactions and flows of information necessary to complete a payment transaction. In addition, the transaction engine 210 preferably includes a Payment Application Programming Interface ("PAPI") module 220 enabling communication between the CS 114 and the remote payment systems 222 and merchants 223. The PAPI module 220 abstracts the different APIs of each payment system 222 and merchant 223 into a single, higher level, PAPI that can interface with each of the payment systems 222 and merchants 223. The transaction engine 210 performs payment transactions with a payment system 222 or merchant 223 by making

calls to the PAPI. The PAPI abstraction module 220 translates these calls into the specific API of the payment system 222 or merchant 223 being used for that transaction. The PAPI abstraction module 220 also translates data received from the payment system 222 or merchant 223 into the format utilized by the transaction engine 210. Accordingly, the PAPI abstraction module 220 allows support for new payment systems 222 and merchants 223 to be added to the CS 114 by merely creating a new PAPI to payment system or merchant API mapping in the PAPI abstraction module 220.

The payment button store module ("PB store") 224, in combination with the web server 214, allows a merchant 112 to obtain a payment button. The web server 214 is preferably an industry standard web server such as the NETSCAPE ENTERPRISE SERVER or the APACHE web server. The web server 214 provides secure communication with the customer 110 and preferably uses industry standard technologies including HyperText Markup Language ("HTML"), and HTTP to deliver information to the customer 110. In addition, the web server preferably uses industry standard encryption techniques, including secure HTTP ("S-HTTP") and the secure sockets layer ("SSL"), to ensure that communications with the customer 110 are private. The firewall 216 allows only authorized communications between the web server 214 and the transaction engine 210 and ensures that a malicious user cannot access or corrupt the transaction engine 210.

The PB store 224 allows the merchant to purchase payment buttons and add product descriptions, merchant configurations, and other information to the database 212. In a preferred embodiment of the present invention, the merchant 112 accesses the PB store through a web site on the web server 214. The PB store module 224 captures the merchant 112 actions on the web server 214 and creates the appropriate entries in the database 212.

20

25

30

In one embodiment of the present invention, the PB store web site describes the payment button mechanism, the services offered by the payment button vendor, and the costs of the services. In addition, the web site preferably has a merchant registration form 226 for registering new merchants, a merchant renewal form 228 for renewing merchant registrations, and a payment button generation form 230 for issuing payment buttons to registered merchants. The forms preferably include CGI programs for performing the functionality described herein.

The merchant registration form 226 allows the merchant 112 to input information identifying the merchant 112 and includes a payment button with which the merchant 112 can pay a registration fee. After the fee payment is verified, the merchant 112 is preferably issued a login/password pair and an account with the CS 114 through which the merchant 112 can

access the payment button generation form and maintain the merchant's account. Similarly, the merchant renewal form 228 preferably includes a payment button with which the merchant 112 can pay a renewal fee.

The payment button generation form 230 allows the merchant 112 to enter item description data, such as item names and descriptions, prices, types, and delivery options, and payment processing rules, such as supported credit cards, payment systems, and currencies. In addition, the payment processing rules may rank the payment systems in order of preference, describe when payment is required (e.g., the merchant may require billing after 90 days), and/or describe the quantity or duration of an item available for a certain price. In one embodiment of the present invention, the merchant 112 enters the item description data and payment processing rules by uploading a file to web site having the information in a standardized format.

10.

15

20

25

30

When entry of this data is completed, the payment button generation form 230 sends the data to the transaction engine 210, which stores the information in the database 212 at a location specified by a key. The transaction engine 210 passes the key back to the PB store web site, which provides the merchant with a payment button download page displaying the results of the payment button generation transaction. If the transaction was successful, the payment button download page includes the payment button issued to the merchant 112. The payment button has an associated URL that specifies the key. Accordingly, little or no engineering effort is required to maintain each merchant configuration on the CS 114.

In one embodiment of the present invention, there are multiple PB store web sites communicating with the database 212 through the transaction engine 210. When a payment button is created, the transaction engine 210 creates a field in the database 212 entry specifying the PB store that generated the payment button. Accordingly, payment buttons may be "branded" among different payment button vendors.

The database 212 is preferably a robust relational database. A preferred embodiment of the present invention uses the ORACLE 7 database to implement the functionality described herein. The database 212 stores item descriptions, payment processing rules, and other information necessary to complete a payment transaction on behalf of a merchant 112. This merchant information is preferably accessed in the database by using a key assigned to each merchant 112 and/or item for sale. The database 212 is also used as a repository of transaction information including authorization logs, payment status and completion records, and other information required by the merchant 112 and the CS 114.

FIG. 3 is a high-level block diagram of functional components within the database 212. Illustrated therein are a database entry 300 including a primary entry 310 linked to at least one of three types of item entries 312, 314, 316. The primary entry 310 is the entry identified by the key provided to the merchant 112. Accordingly, the primary entry 310 is typically accessed either when the merchant 112 provides the key while using the PB store web site or when the customer 110 uses the URL provided by a payment button to purchase the item identified in the database entry 310.

The primary entry 310 contains a field 318 storing the payment processing rules for the item as specified by the merchant 112 through the PB store. The primary entry 310 also contains a field 320 holding item type information as specified by the merchant 112. The item type information preferably describes the item attributes input by the merchant 112. In addition, the item type information field 320 preferably contains at least one link to another database entry 312, 314, 316 describing delivery options for the item.

10

15

20

30

The available delivery options for an item depend upon the type of item. FIG. 3 illustrates three database entries 312, 314, 316 describing delivery options for hard, soft, and online items. However, an embodiment of the present invention may have many different types of items and corresponding delivery options. A hard item is typically a manufactured physical product such as clothing, a book, or a machine part. Accordingly, the entry 312 holding delivery options 322 may list various shipping methods and companies available for delivering the hard item to the customer 110.

A soft item, in contrast, is typically intangible intellectual property such as music, electronic books, or software. For example, the soft item may be a streaming music file that can be played by the customer 110. Accordingly, the entry 314 holding delivery options 324 may list a URL or electronic key that can be provided to the customer to effectuate the purchase. For example, the options 324 may provide instructions for initiating an FTP session to download the purchased soft item to the customer's 110 computer system.

An online item is typically access to an online service or other software executing remotely from the customer 110. For example, the online item may be access to an electronic database of information or an online game. Accordingly, the entry 316 holding delivery options 326 preferably includes instructions for allowing the customer 110 to access the online item. For example, the options 326 may provide instructions for initiating a telnet session with an electronic database for a limited duration of time.

FIG. 4 is a flow diagram illustrating the interactions between the customer 110, merchant 112, CS 114, database 212 and a payment system 222 when completing a payment

transaction according to a preferred embodiment of the present invention. In the flow diagram, time flows from the top of the diagram to the bottom and horizontal lines represent communications between the various entities. FIG. 4 illustrates only major interactions between the entities and does not represent every interaction. In addition, FIG. 4 illustrates a simple case of the present invention wherein the merchant's 112 payment processing rules specify that the payment transaction should be processed at the time the customer's 110 order is received.

Initially, the customer 110 is browsing the merchant's web site and decides to purchase an item by pressing 410 the associated payment button. In response to the press, the merchant's web server-112 redirects 412 the customer's browser to the location on the CS 114 specified by the URL associated with the payment button. The customer's browser fetches 414 the referenced page from the CS 114.

10

20

30

The CS 114 parses the URL received from the customer 110 for the database 212 key corresponding to the item that the customer 110 wishes to purchase. Using this key, the CS 114 accesses 416 the database 212 and dynamically generates a web page indicating the attributes and payment options available for the item as defined by the merchant 112. In addition, the CS 114 preferably determines the language utilized by the customer 110 and currencies supported by the merchant 112 and modifies the web page accordingly. This generated web page is sent 418 to the customer 110. FIG. 5 illustrates an exemplary screen display 500 of the web page seeking payment information from the customer 110.

The customer selects the desired item attributes and payment service, enters any necessary payment information, such as a credit card or account number, and transmits 420 these data to the CS 114. The CS 114 stores 422 the received data in the database 212 and contacts the selected payment system 222. As described above, the CS 114 preferably uses the PAPI module 220 to translate transaction calls made by the transaction engine 210 into the API of the selected payment system 222. The CS 114 preferably stores 426 records of all communications with the payment system 222, customer 110, and merchant 112 in the database 212. Therefore, the database 212 can be used to reconstruct transaction histories in order to provide error tracking and accounting services. If the payment system 222 rejects the transaction, the CS 114 publishes a web page to the customer indicating this result and presenting alternative payment methods, if any (this interaction is not shown in FIG. 4).

If the payment system 222 approves the transaction, the CS dynamically generates a web page containing payment status information and publishes 428 this information to the customer 110. This page preferably contains a receipt or confirmation number generated by

the CS 114. In a preferred embodiment of the present invention, the confirmation number is a unique number encoding transaction, session, and merchant identifications and a time and date stamp. This confirmation number is preferably a key to a database entry holding the transaction information and can be used later by the merchant 112 and customer 110 to confirm payment, to query the CS 114 for payment status information, and to use the CS 114 to query the payment system for account status information. The web page also preferably contains any other information required by the merchant 112 and a link to a confirmation page on the merchant's web site 112. FIG. 6 illustrates an exemplary screen display 600 of an order confirmation web page.

The CS 114 also notifies 428 the merchant 112 that payment was accepted and provides the same receipt or confirmation number as was provided to the customer 110. In one embodiment, this notification is performed via a secure electronic mail message. Accordingly, both the customer 110 and merchant 112 are notified that the purchase was made.

10

15

20

Finally, the customer 110 fetches 430 the confirmation web page on the merchant's web site. Preferably, this web page provides the customer 110 with additional information about the purchase or any other information which the merchant 112 desires to provide.

In summary, the present invention is a system, method, and computer program instructions for conducting electronic commerce transactions via the Internet or any electronic communication system. The merchant 112 opens an account on the CS 114 and supplies information about items sold by the merchant 112. The CS 114 stores this information in a database 212 entry and issues the merchant 112 a URL containing the key to database entry. The merchant 112 supplies this URL to customers wishing to purchase an item, causing a customer 110 to be connected to the CS 114. The CS 114 collects payment information from the customer 110, conducts the electronic commerce transaction with a remote payment system 222, and notifies the customer 110 and merchant 112 of the result.

CLAIMS

I claim:

5

10

15

20

25

30

A computer system for supporting electronic commerce transactions between a
customer and a remote merchant, the computer system comprising:

 a database having an entry including merchant information identifying an item

offered for sale by the remote merchant; and

a transaction engine in communication with the database and a remote payment system for performing an electronic commerce transaction, the transaction engine comprising:

a first module for receiving an electronic commerce transaction identifier from the customer, the electronic commerce transaction identifier specifying the entry in the database;

a second module for accepting payment information from the customer, the payment information identifying the remote payment system; and a third module for performing the electronic commerce transaction with the remote payment system using the payment information received

2. The computer system of claim 1, wherein the transaction engine further comprises:

from the customer.

- a fourth module for notifying the remote merchant and the customer of a result of the electronic commerce transaction.
 - The computer system of claim 1, further comprising:
 a web server in communication with the transaction engine for communicating with
 - a firewall between the web server and the transaction engine for securing communications between the web server and the transaction engine.
 - 4. The computer system of claim 3, wherein the transaction engine further comprises:

the remote merchant and customer; and

a fifth module for dynamically generating a web page from the entry in the database and providing the web page to the customer via the web server, the web page providing information about the item offered for sale by the remote

merchant and facilitating collection of the payment information from the customer.

5. The computer system of claim 3, wherein the computer system further comprises:

5.

15

25

- a sixth module for accepting the merchant information identifying the item offered for sale by the remote merchant via the web server, creating the database entry for holding the merchant information, and providing the remote merchant with a reference to the database entry.
- 6. The computer system of claim 1, wherein the electronic commerce transaction identifier is a URL identifying the computer system and including a key to the entry in the database.
 - 7. The computer system of claim 1, wherein the database further comprises: an entry specifying payment processing rules defined by the remote merchant; and an entry specifying delivery options for the item offered for sale by the remote merchant.
 - 8. The computer system of claim 1, wherein there are a plurality of available remote payment systems and wherein the second module for accepting payment information from the customer accepts payment information identifying one of the available remote payment systems.
- 9. The computer system of claim 1, wherein the transaction engine is executed by a plurality of distributed computer systems.
 - 10. A method of conducting electronic commerce between a remote customer and a remote merchant, the method comprising the steps of:
 - receiving information identifying an item to be purchased by the remote customer;
 receiving payment information specifying a payment method to be used by the
 remote customer to purchase the item;
 conducting a payment transaction with a remote payment system specified by the
 - conducting a payment transaction with a remote payment system specified by the payment information; and

providing the remote customer and the remote merchant with a result of the payment transaction.

- 11. The method of claim 10, further comprising the steps of:
 receiving information about the item to be purchased from the remote merchant;
 storing the information about the item to be purchased at a specified location; and
 providing the remote merchant with a reference to the specified location.
- 12. The method of claim 11, wherein the remote merchant provides the reference to the specified location to the remote customer responsive to the remote customer desiring to purchase the item.
- 10 13. The method of claim 10, further comprising the step of:

 providing the remote customer with a list of item attributes from which the customer can select.

5

15

25

- 14. The method of claim 10, wherein the step of receiving information identifying the item to be purchased by the remote customer comprises the steps of:


 receiving payment processing rules specifying payment options available for purchasing the item; and receiving delivery options for the item.
- 15. A computer-readable medium having computer instructions encoded thereon for conducting electronic commerce transactions between a remote merchant and a remote
 20 customer, the computer instructions comprising:


instructions for storing item information received from the remote merchant; instructions for issuing the remote merchant a reference to the stored item information;

- instructions for receiving an electronic commerce transaction identifier from the remote customer containing the reference to the stored item information issued to the remote merchant;
- instructions for accepting payment information from the remote customer, the payment information identifying a remote payment system; and


instructions for conducting the electronic commerce transaction with the remote payment system using the payment information received from the remote customer.

- 16. The computer-readable medium of claim 15, wherein the instructions further comprise:
 - instructions for notifying the remote merchant and the remote customer of a result of the electronic commerce transaction.
- 17. The computer-readable medium of claim 15, wherein the instructions for storing item information received from the remote merchant comprise:
- instructions for receiving payment processing rules from the remote merchant specifying payment options for the electronic commerce transaction; and instructions for receiving delivery rules from the remote merchant specifying delivery options for the electronic commerce transaction.






SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)



netadvantage	PAYMENT DETAILS
PLEASE REVIEW THIS BEFORE COMPLETING	PAGE AND ENSURE IT IS CORRECT, YOUR PAYMENT DETAILS.
PR	ODUCTS ORDERED
SKU QTY ITEMS 2121 2 SPROCH	UNIT PRICE EXTENDED PRICE KET \$8.99 \$17.98 SUBTOTAL: \$17.98 SHIPPING: \$ 3.95 TAX: \$ 1.72 TOTAL: \$23.65
BILLING A	ADDRESS SHIPPING ADDRESS
ADDRESS 1: 2252 ADDRESS2: CITY: SAN STATE: CA	GGS BAL BAKING COMPANY N. PETERS RD. JOSE 25-5123
1	PAYMENT INFORMATION
PAYMENT TYPE: NAMEAS IT APPEAR NUMBER EXPIRATION DATE	*
WARE CORRECT	

FIG.5

- 500

netadvantage

RECEIPT

-- THANK YOU FOR YOUR ORDER -- RECEIPT NUMBER: 1587-8029-5

GLOBAL SPROKETS COMPANY INC.

2243 E. WISTENA WAY, BOSTON, MA 24248, USA

EMAIL: INFO@SPROKETS.COM. WEB: HTTP//WWW.SPROKETS.COM

PRODUCTS ORDERED

SKU QTY ITEMS 2121 2 SPROCKET UNIT PRICE TOTAL PRICE

\$8.99 \$17.98

SUBTOTAL: \$17.98 SHIPPING: \$ 3.95

TAX: \$ 1.72

TOTAL: \$23.65

BILLING ADDRESS

SHIPPING ADDRESS

FIRST NAME:

JOE

LAST NAME:

BLOGGS

COMPANY:

GLOBAL BAKING COMPANY

ADDRESS 1:

2252 N. PETERS RD.

ADDRESS2:

CITY:

SAN JOSE

STATE:

CA

ZIP:

96025-5123

PAYMENT INFORMATION

PAYMENT TYPE:

MASTERCARD

YOUR CARD HAS BEEN CHARGED: \$23.65

CUSTOMER INFORMATION

WE AIM TO SHIP ITEMS WITHIN 10 DAYS THANK YOU FOR YOUR ORDER!

RETURN TO SITE

FIG.6

600

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number:	WO 99/07121
G06F 17/60	A3	(43) International Publication Date:	11 February 1999 (11.02.99)

(21) International Application Number:

PCT/US98/15884

(22) International Filing Date:

28 July 1998 (28.07.98)

(30) Priority Data:

60/054,121

29 July 1997 (29.07.97)

US

(71) Applicant: NETADVANTAGE CORPORATION [US/US]; Suite B, 1674 North Shoreline Boulevard, Mountain View, CA 94043-1316 (US).

(72) Inventor: FETIK, Richard, J.; #4 Comstock Queen Court, Mountain View, CA 94043 (US).

(74) Agents: HOFFMAN, Brian, M. et al., Fenwick & West LLP, Two Palo Alto Square, Palo Alto, CA 94306 (US). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report:

8 July 1999 (08.07.99)

(54) Title: METHOD AND SYSTEM FOR CONDUCTING ELECTRONIC COMMERCE TRANSACTIONS



(57) Abstract

A system and method for conducting electronic payment transactions accepts and stores information describing an item sold by a merchant on a commerce server. The merchant also defines payment processing rules that define the payment methods accepted by the merchant. The merchant, in turn, is provided with a reference identifying the commerce server and the item. The merchant preferably publishes this reference at the merchant's web site on a web page offering the item for sale. A customer viewing the merchant's web site indicates a desire to purchase the item by selecting the reference. As a result, the customer is put in contact with the commerce server and is provided with information from the commerce server about the item and is given a list of payment options. The customer preferably selects a payment option and provides the commerce server with payment information, such as a credit card number. In response, the commerce server contacts a selected payment system and completes the electronic commerce transaction. The commerce server then notifies the customer and the merchant of the results of the electronic commerce transaction and delivers the item to the customer.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

		•	-	• -			
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Amenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia .	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	us	United States of America
CA ·	Canada	lТ	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal .		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	Li	Liechtenstein	SD	Sudan		•
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTERNATIONAL SEARCH REPORT

		II. Iational Appl	icanon iio	
		PCT/US 98/	15884	
A. CLASSII	FICATION OF SUBJECT MATTER G06F17/60			
According to	International Patent Classification (IPC) or to both national classificat	ion and IPC		
	SEARCHED			
Minimum do	cumentation searched (classification system followed by classification GO6F GO7F	n symbols)		
Documentat	ion searched other than minimum documentation to the extent that su	ch documents are included in the fields se	arched	
DOCUMENTAL	the searched only their maintain documentation to the extent that so			
Electronic d	ata base consulted during the international search (name of data base	and, where practical, search terms used)		
		•		
C. DOCUME	ENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the rele	vant passages	Relevant to claim No.	
E	EP 0 855 687 A (AT&T CORP.) 29 Ju see the whole document	ly 1998	1-17	
X	SIRBU ET AL: "NetBill: An Intern Commerce System Optimized for Network-Delivered Services" IEEE PERSONAL COMMUNICATIONS, vol. 1, no. 4, August 1995, pages XP000517588		1-3, 10-12	
	New York, NY, US			
Α	see the whole document	·	4-9,	
			13-17	
	_	/		
X Funti	ner documents are listed in the continuation of box C.	Patent family members are listed	in annex.	
* Special ca	tegories of cited documents :	T" later document published after the inte	mational filing date	
	document defining the general state of the art which is not cited to understand the principle or theory underlying the considered to be of particular relevance			
"E" .earlier o	E* earlier document but published on or after the international "X" document of particular relevance; the claimed invention			
filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) citation or other special reason (as specified) cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone volve the claimed invention cannot be considered to involve an inventive step when the			cument is taken alone laimed invention ventive step when the -	
"O" document referring to an oral disclosure, use, exhibition or other means document is combined with one or more other such document is combination being obvious to a person skilled				
"P" document published prior to the international filing date but later than the priority date claimed "8" document member of the same patent family				
	actual completion of the international search	Date of mailing of the international sea		
1.	2 May 1999	20/05/1999		
Name and n	neiling address of the ISA	Authorized officer		
	European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk			
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	Abram, R		

INTERNATIONAL SEARCH REPORT

It ational Application No PCT/US 98/15884

(Continu	INTERPOLATION DOCUMENTS CONSIDERED TO BE RELEVANT		
legory *	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.	
	CONNOLLY: "Technical forum - IBM's electronic commerce solution: CommercePOINT" IBM SYSTEMS JOURNAL, vol. 36, no. 1, 1 January 1997, pages 162-166, XP002073436 see the whole document	1-17	
, A	BALASUBRAMANIAN ET AL: "Toward object-web based service provider infrastructure for e-commerce transactions" XVI WORLD TELECOM CONGRESS PROCEEDINGS, 21 September 1997, pages 105-112, XP000704461 see section 7.2 see figure 8		
	EP 0 784 279 A (SUN MICROSYSTEMS INC.) 16 July 1997 see the whole document	1,10,15	
. •.			
· .			
٠.			
	-		
٠			

INTERNATIONAL SEARCH REPORT

Information on patent family members

In ational Application No PCT/US 98/15884

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 855687 A	29-07-1998	CA 2222229 A JP 10207945 A	15-07-1998 07-08-1998
EP 784279 A	16-07-1997	US 5745681 A DE 69600368 D DE 69600368 T EP 0807891 A JP 9296819 A	28-04-1998 23-07-1998 25-02-1999 19-11-1997 18-11-1997

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.